
Residual current switch box and distribution box



Overview

Regulations differ widely from country to country. A single RCD installed for an entire electrical installation provides protection against shock hazards to all circuits, however, any fault may cut all power to the premises. A solution is to create groups of circuits, each with an RCD, or to use an RCBO for each individual circuit. In Australia, residual current devices have been mandatory on power circuits since 1.

Key Takeaways

A residual current switch (RCD) is a safety device installed in distribution boxes to protect people from electric shocks by quickly disconnecting power when leakage currents are detected. What is an RCD? A Residual Current Device (RCD), also known as a ground fault circuit interrupter (GFCI) or residual-current circuit breaker (RCCB), is designed to monitor the current flowing through the live and neutral conductors of a circuit.

If it detects an imbalance, indicating that some current is leaking to the ground (potentially through a person), it trips immediately to cut off the power, preventing electric shock or electrocution ( ).

How RC

Ds WorkRCDs use a differential current transformer to compare incoming and outgoing currents. If the difference exceeds a preset threshold, typically 30 mA for personal protection, the device triggers a switch to disconnect the circuit. This rapid response helps prevent serious injury or death from electric shock ( ).

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Types of RCDsStandard RCDs: Provide protection against earth leakage but do not protect against overcurrent.

RCB

Os (Residual Current Breaker with Overcurrent protection): Combine RCD functionality with overcurrent protection, safeguarding both people and equipment in one device ( ). All-pole sensitive RCDs: Detect AC and DC leakage currents, suitable for specialized applications like EV charging stations ( ). Installation in Distribution BoxesRCDs are typically installed in DIN-rail distribution boards alongside miniature circuit breakers (MCBs).

They are mandatory for: Sockets up to 20 A used by non-professionals in high-risk areasBathrooms, showers, and outdoor circuitsNew installations or major modifications to existing systems ( ) Proper installation requires a qualified electrician to ensure compliance with local standards and correct wiring. Regular testing is recommended to verify functionality. Maintenance and LifespanRCDs can last several years to decades, depending on: Quality: High-quality devices last longerEnvironment: Extreme temperatures, humidity, or dust can reduce lifespanUsage: Frequent tripping may cause wearMaintenance: Regular inspections extend operational life ( ) If an RCD trips, the cause should be identified before resetting.

This may involve checking appliances, wiring, and insulation faults.

Benefits

Protects people from electric shocksReduces risk of fire caused by earth leakageEnhances overall safety of electrical installationsCan be combined with overcurrent protection for comprehensive circuit safety ( ) Using RCDs in distribution boxes is a critical safety measure for both residential and commercial electrical systems, ensuring protection against potentially life-threatening electrical faults.

Article Content

RCD Switch – Simply explained | Siemens

Safely disconnect the power in the event of a fault with residual current devices (RCDs) — essential in building electrical distribution boards. Here you will learn

The Anatomy of a Distribution Box: Key Components

The main parts are the Miniature Circuit Breaker (MCB), Residual Current Device (RCD), busbars, and the main switch. Safe habits and checking

Residual-current device

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

OverviewRegulation and adoptionPurpose and operationApplicationRCBOTypical designCharacteristicsTesting of correct operation

Regulations differ widely from country to country. A single RCD installed for an entire electrical installation provides protection against shock hazards to all circuits, however, any fault may cut all power to the premises. A solution is to create groups of circuits, each with an RCD, or to use an RCBO for each individual circuit. In Australia, residual current devices have been mandatory on power circuits since 1

Distribution Box and Selection Guide: Internal Structure, Components ...

Below is a simplified internal structure diagram for a typical single-phase AC distribution box using an incoming main switch, SPD, MCBs, neutral bar, and earth bar.

Residual Current Devices (RCDs)

An accurate protection of people and electrical equipment against leakage currents can be achieved by installing Residual Current Devices (RCDs).

SENTRON residual current protective devices (RCD)

Achieve space savings with a compact solution for residual current and line protection. Add a SENTRON 5SM6 AFD unit for protection against fault currents, overcurrent, short-circuits and arcing faults in

Wiring of the Distribution Board with RCD (Residual

The above mentioned electrical wiring accessories and protective devices are used to control and distribute electric supply (safely to connected electrical appliances)

Residual Current Devices

Installations fitted with residual current devices started to face problems with unwanted tripping due to surge voltage during storms. A solution was presented by Dr. Gottfried Biegelmeier, who had a

Distribution board

Normally, a main switch, and in recent boards, one or more residual-current devices (RCDs) or residual current breakers with overcurrent protection (RCBOs) are also incorporated.

RCD WIRING DIAGRAM

It provide additional protection in area where excessive earth leakage current present. It automatically disconnect the power when an earth leakage current reaches a preset value. RCDs with a sensitivity

RCD Switch – Simply explained | Siemens

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Learn about residual current devices Safely disconnect the power in the event of a fault with residual current devices (RCDs) — essential in building electrical

RCDs Explained | What Is a Residual Current Device?

Learn what an RCD (Residual Current Device) is, how it works and why it helps protect against electric shock and electrical fires in your home.

Enhancing Low-Voltage Distribution Network Safety through ...

Residual current protection can detect and isolate the grounding (leakage) fault of low-voltage distribution networks in time, which is an essential technical measure to reduce electric

RCD WIRING DIAGRAM

Fixed setting RCD with a rated operating residual current not exceeding 30mA. It provide additional protection in area where excessive earth leakage current present. It automatically disconnect the

RCD & FI Switches for Safe Power Protection | WATT24

You will usually find the residual current circuit breaker in the power distribution box or fuse box. This is where the central point for the electrical supply is divided into different circuits.

RCCB Guide (Residual Current Circuit Breaker)

RCCBs (Residual Current Circuit Breakers): Critical to electrical safety, preventing electric shocks and fires. Learn how RCCBs work, types (AC/A, B), and applications.

Energy Market Authority | What is a Residual Current Circuit ...

Electrical current leakages can be caused by factors such as ageing or exposed wires, faulty electrical appliances, and damaged insulation. The RCCB or ELCB is usually located in the distribution board

All about GFCI/RCD devices

A GFCI (Ground Fault Circuit Interrupter) or RCD (Residual Current Device) is a safety device that is designed to protect against electrical shock.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved