Typical communication distance of multimode fiber



Overview

The transmission distance of multimode fibers varies significantly based on the data rate and the specific fiber type used.


Key Takeaways

Multimode fiber distance depends on fiber type and data rate, ranging from 33 meters for OM1 at 10G to 400 meters for OM4 at 10G Ethernet. Distance Limits by Fiber Type and Data RateOM1 (62. 5 µm core): Supports 1G Ethernet up to 275 meters and 10G Ethernet up to 33 meters using LED light sources.

OM2 (50 µm core): Typically supports 1G Ethernet up to 550 meters, with 10G Ethernet limited to 33 meters; under optimal conditions, 1G can reach 2 km. OM3 (50 µm, laser-optimized): Designed for VCSEL lasers, supports 10G Ethernet up to 220 meters, 25G up to 70 meters, and 40G/100G up to 100 meters. OM4 (50 µm, higher modal bandwidth): Supports 10G Ethernet up to 400 meters, 25G up to 150 meters, and 40G/100G up to 150 meters.

OM5 (50 µm, wideband multimode): Optimized for wavelength division multiplexing (WDM), allowing longer distances at higher speeds, potentially up to 2 km for 1G Ethernet with advanced transceivers.

Factors Affecting Maximum Distance



© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Modal Dispersion: Light travels in multiple modes, spreading pulses over time. This is the primary limitation for multimode fiber, not signal attenuation. Data Rate: Higher data rates reduce maximum distance; roughly, doubling the data rate halves the achievable distance.

Fiber Quality: OM4 and OM5 fibers have higher effective modal bandwidth (EMB), allowing longer distances than OM3 at the same data rate. Light Source: LEDs are used in OM1/OM2, while VCSEL lasers are used in OM3/OM4/OM5, providing higher bandwidth and longer reach. Connectors and Splices: Poor-quality connectors or excessive splices increase losses and reduce effective distance.

Real-

World Conditions: Factory-terminated, clean links achieve standard distances; field installations may see shorter ranges due to bends, stress, or contamination.

Practical Guidelines

For short-distance, cost-sensitive applications, OM1 or OM2 may suffice. For high-speed data centers, OM3 or OM4 is recommended for 10G–100G Ethernet. For future-proofing and WDM applications, OM5 provides the longest distances and highest bandwidth.

If distances exceed multimode limits, single-mode fiber is preferred for long-haul or high-speed links. In summary, multimode fiber is ideal for short to medium distances, with maximum reach determined by fiber type, data rate, and modal dispersion. OM4 and OM5 fibers provide the longest distances for high-speed Ethernet, while OM1 and OM2 are limited to shorter links.

Proper installation and high-quality components are essential to achieve these maximum distances.

Article Content

Multimode Fiber Distance — OM3, OM4 Max Distance by Data Rate

This guide covers the actual distance limits for OM3 and OM4 multimode fiber at every common data rate, what determines those limits, and when to stop fighting multimode and switch to

How Far Can Multimode Fiber Optic Cables Transmit?

The transmission distance of multimode fibers varies significantly based on the data rate and the specific fiber type used. Here, we examine the limitations across common transmission

Multi-mode optical fiber

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Multi-mode optical fiber is a type of optical fiber mostly used for communication over short distances, such as within a building or on a campus. Multi-mode links can be used for data rates up to 800 Gbit/s.

Fiber Optic Transmission Distance: Single Mode vs. Multimode Guide

Fiber optic transmission distance is influenced by the operating wavelength, with common options being 850nm, 1300nm, and 1550nm. Multimode fiber typically operates at 850nm

Fiber Optic Cable Distance: A Comprehensive Guide

In this blog, I will discuss the fiber optic cable distance, the effect factors, how to choose the right fiber optic cables, and how to compare the transmission distances of single-mode and

Understanding the Distance Limitations of Multimode Fiber in Data ...

Multimode fibers are categorized into OM1, OM2, OM3, OM4, and OM5, each with different bandwidth and distance capabilities. For example: OM1 and OM2: Support distances up to

Fiber Optic Cables How Far Is Too Far

The maximum effective distance a fiber optic cable can work depends on several factors, including the type of fiber, the quality of the cable, the data transmission rate, and the use of signal

OM1 vs OM2 vs OM3 vs OM4 vs OM5 Multimode Fiber Guide

Compare OM1, OM2, OM3, OM4, and OM5 multimode fiber specs, distances, bandwidth, and applications. Essential guide for data center fiber selection.

Multimode Fiber Distance Limits in Data Centers

This article will delve into the distance limitations of multimode fiber, the characteristics of different fiber types, and solutions to overcome these limitations.

Fiber Optic Cable Types Explained

Our comprehensive guide to types of fiber optic cables. Learn all about the differences between single mode and multimode cables, as well as the various fiber wavelengths and standard core sizes used

How Far Can Multimode Fiber Optic Cables Transmit?

Fiber optic technology is the backbone of modern high-speed communication networks, enabling the transmission of data over vast distances

Fiber Optic Cable Types: A Complete Guide

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

These are known as multimode fiber cables and are particularly suitable for short-distance communication, such as within local area networks

Single-Mode Optical Fiber

There are mainly two types of optical fibers, single-mode optical fiber, and multimode optical fiber, which differ in the way light propagates. The latter is used for short-distance

Single Mode vs Multimode Fiber, What is The Difference?

What is single mode fiber? Single mode fiber, short as SMF, is a fiber cable that only allows one mode of light to transmit. Typically, this fiber includes a small light-carrying core of about

The FOA Reference For Fiber Optics

While this may work for high power lasers, these detectors are not sensitive enough for the low power levels typical for fiber optic communication systems (Table 1). Optical power meters typically use

The FOA Reference For Fiber Optics

Fiber Optic Network Design Jump To: The Communications System Cabling Design Choosing Transmission Equipment Planning The Route Choosing Components Cable Plant Link Loss Budget

IEC 61850 Fiber Optic Networks for Electrical Substations

Key Takeaway IEC 61850 imposes strict latency and timing requirements on substation communication networks that only fiber optic infrastructure can reliably meet. This article covers GOOSE message

Fiber Optics: Understanding the Basics

Fiber types There are primarily three categories of optical fiber: single mode, multimode graded index, and multimode step index. These types differ in the

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved